## 2025 Civic Sedan

HONDA SENSING® DRIVER-ASSISTIVE FEATURES

Adaptive Cruise Control (ACC) <sup>1</sup> with Low-Speed Follow (HS*)	•	•	•	•
Collision Mitigation Braking System™ (CMBS®)¹ (HS*)	•	•	•	•
Forward Collision Warning (FCW) system¹ (HS*)	•	•	•	•
Lane Departure Warning (LDW) system¹ (HS*)	•	•	•	•
Lane Keeping Assist System (LKAS)¹ (HS*)	•	•	•	•
Road Departure Mitigation (RDM) system¹ (HS*)	•	•	•	•
Traffic Jam Assist <sup>1</sup>	•	•	•	•
Traffic Sign Recognition	•	•	•	•
Auto high-beam headlights <sup>1</sup>	•	•	•	•
Blind Spot Information (BSI) system <sup>1</sup>	•	•	•	•
Cross Traffic Monitor system <sup>1</sup> (CTM)	•	•	•	•
Driver attention monitor	•	•	•	•
Low-speed braking control  HS* = Feature is a component of the Honda Sensing® suite of safety and driver assist features.				•
				LIVEDID
ENGINEERING	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Engine type	2.0-litre inline	2.0-litre inline	2.0-litre inline	2.0-litre inline
Tura matar bularid quatam	4-cylinder	4-cylinder	4-cylinder	4-cylinder
Two-motor hybrid system Valve train	16-Valve DOHC	16-Valve DOHC	16-Valve DOHC	16-Valve DOHC
valve train	with Dual Variable	with Dual Variable	with Dual Variable	with Dual Variable
	Timing Control (VTC)	Timing Control (VTC)	Timing Control (VTC)	Timing Control (VTC)
Fuel injection	Direct injection	Direct injection	Direct injection	Direct injection
Displacement (cc)	1993	1993	1993	1993
Compression ratio	13:1	13:1	13.9:1	13.9:1
Bore and stroke (mm)	81 x 96.7	81 x 96.7	81 x 96.7	81 x 96.7
Emissions rating	Tier 3 Bin 30	Tier 3 Bin 30	Tier 3 Bin 30	Tier 3 Bin 30
Horsepower @ rpm <sup>2</sup>	150 @ 6400	150 @ 6400	TICL O DILLOO	TICL S BILLSO
Combined total horsepower <sup>2</sup>	.00 @ 0 .00	.00 @ 0 .00	200	200
Torque (lb-ft) @ rpm <sup>2</sup>	133 @ 4000	133 @ 4000	TBD	TBD
	_	_		ECON, Normal, Sport,
Drive Modes	ECON, Normal	ECON, Normal, Sport	ECON, Normal, Sport	Individual
Continuously Variable Transmission (CVT)	•	•		
Electro-Continuously Variable Transmission (eCVT)			•	•
Front-wheel drive (FWD)	•	•	•	•
Idle-stop	•	•		
Eco Assist™ system	•	•		
Electronic Parking Brake (EPB) with automatic brake hold		•	•	•
Immobilizer theft-deterrent system Redline (rpm)	6700	6700	6250	6250
Capless fueling system	•	•	0230	•
Fuel tank capacity (L)	46.9	46.9	40.36	40.36
Recommended fuel	Regular	Regular	Regular	Regular
BODY/SUSPENSION/CHASSIS	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Wheels	16" Steel with covers	18" Aluminum-alloy	18" Aluminum-alloy	18" Aluminum-alloy
All V	DOIS (55 DIO 001)	(Black)	(Black)	(Grey)
All-season tires	P215/55 R16 93H	P235/40 R18 91W	P235/40 R18 91W	P235/40 R18 91W
Compact spare tire	T125/80 D16 97M	T125/85 D16 99M		
Tire repair kit			•	•
MacPherson strut front suspension  Independent multi-link rear suspension	•	•	•	•
	:	•	•	
Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•
Power-assisted, ventilated front disc/solid rear disc brakes Stabilizer bars – front/rear (mm)	TBC	TBC	TBC	TBC
Steering wheel turns, lock-to-lock	TBC	TBC	TBC	TBC
Turning diametre, curb to curb (m)	11.0	11.0	11.6	11.6
Steering ratio, curb to curb (m)	TBC	TBC	TBC	TBC
· ,				
EXTERIOR FEATURES	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
LED headlights with auto-on/off	•	•	•	•
LED Daytime Running Lights (DRL)	•	•	•	•
LED taillights	•	•	•	•
Door mirror colour	Body-coloured	Black	Black	Black
Power-adjusted heated exterior mirrors	•	•	•	•
Mirror-integrated LED turn signal indicators				•
Front splash guards	•	•	•	•
One-touch power moonroof	later and later at	Intowns itt	Intorretteet	Poin committee
Front windshield wipers	Intermittent	Intermittent, speed-sensing	Intermittent, speed-sensing	Rain-sensing
Exhaust finisher		•	speed sensing	
EARIGING THIRD TO				

SPORT

SPORT HYBRID

SPORT TOURING HYBRID

COMFORT & CONVENIENCE	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
7" colour TFT centre meter display with Driver Information Interface	•	•	•	
10.2" colour TFT full digital driver meter display  Acoustic windshield	Laminated (Normal)	Laminated (Normal)	Laminated (Normal)	Laminated (Normal)
Aluminum-trimmed sport pedals	Lammateu (Normat)	tarrillated (Normal)	taminated (Normal)	tammateu (Normat)
Assisted opening trunk				•
Automatic climate control with air-filtration system	•	Dual-zone	Dual-zone	Dual-zone
Parking sensors <sup>1</sup>		5 dat 20110	D dat 20110	Front and rear
Driver's and front passenger's vanity mirrors	•	Illuminated	Illuminated	Illuminated
Security system	•	•	•	•
Maintenance Minder™ system	•	•	•	•
Multi-angle rearview camera¹ with dynamic guidelines	•	•	•	•
Front passenger's seatback pocket		•	•	•
Power windows with auto-up/down driver's and passenger's window	•	•	•	•
Proximity key entry system with pushbutton start	•	•	•	•
Remote engine start	•	•	•	•
Walk-away door lock	•	•	•	•
Tilt and telescoping steering column	•	•	•	•
Heated leather-wrapped steering wheel		•	•	•
Urethane steering wheel Steering-wheel mounted paddle shifters	•			
Steering wheel-mounted deceleration paddle selectors		•		
SEATING	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Seating capacity	5	5	5	5
Heated seats	Front	Front	Front	Front/Rear
Seat material	Fabric Fabric	Fabric	Synthetic leather/fabric 6-way manual	
Driver seat adjustment	6-way manual adjustment	6-way manual adjustment	adjustment	8-way power adjustment
Passenger seat adjustment			,	nt 4-way power adjustment
Rear foldable seats	1 piece			: 60/40 split with arm rest
AUDIO & CONNECTIVITY	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
7" touchscreen display	•	•	•	
9" touchscreen display				•
Google Automotive Services (GAS) – Google Built-In <sup>3</sup> Amazon Alexa Built-In <sup>4</sup>				
HondaLink™ <sup>5</sup>				•
Audio system with 8 speakers		•		
BOSE® Premium Sound System with 12 speakers including subwoofer				•
Speed-sensitive Volume Control (SVC)		•	•	
Apple CarPlay <sup>®1,6</sup> / Android Auto™1,6	Wired	Wired	Wired	Wired/wireless
USB-A smartphone/Audio interface <sup>6</sup>	1 (Front)	1 (Front)	1 (Front)	1 (Front)
USB-C charging port <sup>6</sup>	1 (Front)	1 (Front)	1 (Front)	1 (Front)
Wireless phone charger (Qi-compatible) <sup>7</sup>				•
HD Radio™ <sup>8</sup>				•
Wi-Fi® hotspot capability <sup>7</sup>				•
ACTIVE SAFETY	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
4-wheel Anti-lock Braking System¹ (ABS)	•	•	•	•
Brake Assist	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•
Hill Start Assist <sup>1</sup>	•		•	
Vehicle Stability Assist¹ (VSA®) with Traction Control	•	•	•	•
PASSIVE SAFETY	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•
Driver's and front passenger's advanced front airbags (SRS)	•	•	•	•
Driver's and front passenger's knee airbags (SRS)	•	•	•	•
Driver's and front passenger's front side airbags	•	•	•	•
Rear outboard passengers' side airbags	•	•	•	•
Side curtain airbags with rollover sensor	•		•	
3-point seat belts at all seating positions	•	•	•	•
Front and outboard rear 3-point seat belts with automatic tensioning system	•	•	•	•
Lower Anchors and Tethers for Children (LATCH):	•		•	
Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)				
Seat belt reminder for all seating positions	•	•	•	•
Childproof rear door locks	•	•	•	•
Rear Seat Reminder <sup>9</sup> (RSR)  Hondal ink™ Assist Automatic Emergency Posponso System <sup>1,6,7</sup>	•	•	•	:
HondaLink™ Assist Automatic Emergency Response System <sup>1,6,7</sup>	• 	<u> </u>	<u> </u>	<u> </u>
FUEL ECONOMY <sup>10</sup> (L/100 KM)	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Continuously variable transmission (City/Hwy/Combined)	7.3/5.7/6.6	7.5/6.0/6.8	/	. = /= /
Electro-Continuously Variable Transmission (eCVT) (City/Hwy/Combined)			4.7/5.1/4.8	4.7/5.1/4.8

EXTERIOR DIMENSIONS	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Wheelbase (mm)	2735	2735	2735	2735
Length (mm)	4694.20	4694.20	4694.20	4694.20
Height (mm)	1414.97	1414.97	1414.97	1414.97
Width (mm)	1802	1802	1800	1800
Track - front/rear (mm)	1546 / 1575	1536 / 1565	1537 / 1565	1537 / 1565
Curb weight (kg)	1310	1342	1462	1480
Ground clearance – no-load/maximum permissible weight; (mm)	134 / 108.64	134 / 111.60	134 / 107	134 / 108
INTERIOR DIMENSIONS	LX	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Headroom - front/rear (mm)	998 / 942	956 / 942	998 / 942	956 / 942
Legroom - front/rear (mm)	1074 / 950	1074 / 950	1074 / 950	1074 / 950
Shoulder room – front/rear (mm)	1447 / 1422	1447 / 1422	1447 / 1422	1447 / 1422
Hip room – front/rear (mm)	1380 / 1243	1380 / 1243	1380 / 1243	1380 / 1243
Cargo volume (L)	419	419	419	419
Passenger volume (L)	2803	2735	2803	2735

## Legal disclaimers:

- 1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual
- 2. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
- 3. Google, Google Play, Google Maps, and other related marks and logos are trademarks of Google LLC.
- 4. © 2024 Amazon.com, Inc. or its affiliates. Amazon and all related marks are trademarks of Amazon.com, Inc. or its affiliates. Certain Alexa functionality is dependent on smart home technology.
- 5. Check the HondaLink™ website for compatibility.
- 6. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.
- 7. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
- 8. Coverage varies by market.
- 9. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
- 10. Estimated fuel economy based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.